

# Hand-Held Cognition: Does Learning Suffer When an External Representation Interface Style Is Used?

Keith A. Beatty

# Outline

---

- Introduction
- Literature Review
- Methodology
- Results
- Discussion
- Conclusion


# Definitions

- Internal Representation
- External Representation
- External Cognition


# External Representations in Software

- Use of recognition in place of recall (Nielsen, 2005)
- This is done via disabling menu items, wizards, etc.


# External Representation Example



# External Representation Example



# External Representation Example




# Literature Review

---



# Zhang & Norman (1994)

- Distributed Representation



(image Zhang & Norman, 1994, p. 90)

# Zhang & Norman (1994)

- Study of several versions of the Towers of Hanoi logic game

## Results

- External Representations
  - Memory aids
  - Anchor structure
  - Anchor learning behavior
  - May change nature of task
- External representations can be internalized
  - Not needed, if external representations always available

# Mayes, Draper, McGregor & Oatley (1988), Payne (1991)

- Mayes, Draper, McGregor & Oatley (1988)
  - Effect of recall using MacWrite, a GUI based word processing program
  - Skill range: novice – skilled
  - All subject were able to use MacWrite menu's to format letters correctly
- Payne (1991)
  - Effect of recall using character and GUI based word processing programs
  - Subjects answered common questions on the word processing package that they used most

# Nimwegen, Oostendorp, Tabchneck-Schijf (2004)

- Study on learning
- Created an new game based on the rules of the Missionaries and Cannibals logic game
- Rules
  - 3 cannibals / 3 missionaries / 1 boat holds 1 or 2 people
  - Cannibals will eat any missionaries when missionaries are outnumbered
  - Goal of the game to get all missionaries and cannibals to the opposite side of the river

# Nimwegen, Oostendorp, Tabchneck-Schijf (2004)

- This study used 5 people, instead of the traditional 3.
- 9 trials
- Post test questionnaire, 7 procedural , 1 declarative knowledge questions about the game
- Neither time nor procedural knowledge had a significant difference
- Declarative knowledge was significantly different, where the internal representation interface style was better
- Eight months later, the originals were re-tested with a different missionaries and cannibals isomorph, with similar results as the main study

# Research Hypothesis

- On a hand-held device, participants that use the internal representation interface style will have significantly more declarative knowledge than those who use the external representation interface style.

# Methodology

---

# Participants

- 31 people took part in the study
  - 19 men, 12 women
  - Age: 19 to 48, mean: 31.7
  - All had some experience w/ hand-held device, digital camera cited most often
- 21 people completed all four sessions
  - 13 men, 8 women
  - Age: 19 to 48, mean: 31.0
  - 12 assigned to internal representation interface type
  - 9 assigned to external representation interface type



# Design

- Between subjects
- Participant assigned to a group: representation interface style
- New game that used the Missionaries and Cannibals game rules on a smart phone
- 4 sessions, 6 to 8 days apart
  - 1<sup>st</sup> session, 6 trials: trial 1 & 2 are used to train, 4 remaining trials are “normal”
  - 2, 3 and 4 sessions — 4 trials

# Implementation - Game

## Comparison between interface styles

- Internal Representation



- External Representation



# Implementation - Game

Instructional video given to the participants


# Statistical Tests

- Non-parametric tests used, because of range of data
- Pearson's Chi-squared Test for Independence used for categorical types:
  - Declarative
  - Procedural
- Mann-Whitney U test — non-parametric version of the Student  $t$  test
- Significance level of .05 or less is considered a significant result


# Results

---

# Results – Declarative Knowledge



# Results – Procedural Knowledge



# Discussion

---

- Declarative / Procedural Chi-Squared Results
- Declarative Results
- Procedural Results
- Qualitative Results
- Summary Count Mann Whitney U Selected Results



# Post-Survey Qualitative and Quantitative Chi-Squared

- Contingency tables for Declarative and Procedural knowledge questions had cells that did not total up to 5, so that the Chi-square result would be unreliable.
- Declarative and Procedural results are reviewed using Means and Standard Deviations

# Post Session Questionnaire Declarative & Procedural Mean and Standard Deviation Results

Group		Declarative Knowledge		Procedural Knowledge	
		<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>
Internal	Session 1	1.50	1.00	1.50	0.67
External	Session 1	1.33	0.87	1.00	0.50
Internal	Session 2	1.92	0.90	1.50	0.80
External	Session 2	1.89	0.78	1.78	0.67
Internal	Session 3	1.67	0.49	1.83	0.84
External	Session 3	1.22	0.83	1.33	0.50
Internal	Session 4	2.83	0.39	2.08	0.51
External	Session 4	2.56	0.73	1.33	0.71

# Summary Count Mann-Whitney U Results, Session 1

		Time		Non-Object Moves		Invalid Moves		Object Moves	
		Exact Sig.		Exact Sig.		Exact Sig.		Exact Sig.	
Grouping	U	1-tailed	U	1-tailed	U	1-tailed	U	1-tailed	U
Session 1									
	Trial 3	33.50	0.08	37.50	0.13	33.50	0.08	31.50	0.06
	Trial 5	35.00	0.09	35.00	0.09	40.50	0.18	20.50	0.01
	Trial 6	28.50	0.04	32.00	0.06	33.50	0.08	26.50	0.03
Session 1 – w/o 2X outliers									
	Trial 3	23.50	0.05	25.50	0.07	21.50	0.03	31.50	0.06
	Trial 5	27.00	0.09	27.00	0.06	31.50	0.16	20.50	0.01
	Trial 6	22.50	0.04	25.00	0.06	23.50	0.05	26.50	0.04

# Summary Count Mann-Whitney U Results, Session 1 Screens

Trial 3



Trial 5





Trial 6



# Summary Count Mann-Whitney U Results, Session 1, Trial 5, 6 - Object


● With Outliers

● With 2X Outliers removed




# Summary Count Mann-Whitney U Results, Session 1, Trial 6 - Time

Has two times standard deviation outliers removed



# Summary Count Mann-Whitney U Results, Session 1, Trial 6 - Invalid

Has two times standard deviation outliers removed



# Summary Count Mann-Whitney U Results, Session 2

		Time		Non-Object Moves		Invalid Moves		Object Moves	
		Exact Sig.		Exact Sig.		Exact Sig.		Exact Sig.	
Grouping		U	1-tailed	U	1-tailed	U	1-tailed	U	1-tailed
Session 2									
	Trial 1	20.50	0.01	15.50	0.02	22.50	0.01	11.00	0.00
	Trial 3	41.50	0.20	41.50	0.20	53.50	0.49	30.00	0.05
Session 2 – w/o 2X outliers									
	Trial 1	20.50	0.01	9.50	0.00	13.50	0.00	11.00	0.00
	Trial 3	29.50	0.12	29.50	0.12	41.50	0.44	19.00	0.02




# Summary Count Mann-Whitney U Results, Session 2, Trial 3 - Object

- Trial Screen for session 2, trial 3 & session 3, trial 3



# Summary Count Mann-Whitney U Results, Session 2, Trial 3 - Object

Has two times standard deviation outliers removed




# Summary Count Mann-Whitney U Results, Sessions 3

		Time		Non-Object Moves		Invalid Moves		Object Moves	
		Exact Sig.		Exact Sig.		Exact Sig.		Exact Sig.	
Grouping		U	1-tailed	U	1-tailed	U	1-tailed	U	1-tailed
Session 3									
	Trial 1	32.00	0.06	23.50	0.01	33.50	0.06	43.00	0.22
	Trial 3	45.50	0.28	40.50	0.18	28.50	0.04	42.50	0.22
Session 3 – w/o 2X outliers									
	Trial 1	22.50	0.02	12.00	0.00	24.00	0.02	32.00	0.10
	Trial 3	36.50	0.28	31.50	0.16	20.50	0.03	31.50	0.16

# Summary Count Mann-Whitney U Results, Session 3, Trial 3 – Invalid

Has two times standard deviation outliers removed



# Conclusion

---

- Study Limitations
- Future Research

# Study Limitations

- Low number of participants
  - Longitudinal nature of study limited participation
  - Required interaction with a proctor
  - Length of study
  - Budget

# Future Research

- Larger budget to recruit more participants
- Change program to record individual movements
- Change program to vary objects (5 / 4 / 3 )
- Use newer / easier to use smart phones – iPhone, Google Android based G-1

# References

- Anderson, J. (2006, September 24). *The future of the Internet II*. Retrieved February 14, 2007, from The Pew Internet & American Life Project Web site: [http://www.pewinternet.org/pdfs/PIP\\_Future\\_of\\_Internet\\_2006.pdf](http://www.pewinternet.org/pdfs/PIP_Future_of_Internet_2006.pdf)
- Carroll, J. & Rosson, M. Paradox of the active user. In J. Carroll (Ed.), *Interfacing thought* (pp. 80-111) Cambridge, MA: Bradford
- Doherty, C. (Ed.) (2004, June 8). *News audiences increasingly politicized*. Retrieved February 14, 2007, from The Pew Research Center for the People and the Press Web site: <http://people-press.org/reports/pdf/215.pdf>
- Horrigan, John. (Ed.) (2008, March 5). *Mobile Access to Data and Information*. Retrieved October 5, 2008, from The Pew Internet & American Life Web site: [http://pewinternet.org/pdfs/PIP\\_Mobile.Data.Access.pdf](http://pewinternet.org/pdfs/PIP_Mobile.Data.Access.pdf)
- Larkin, J. (1989). Display based problem solving. In D. Klahr. & K. Kotovsky (Eds.), *Complex information processing: the impact of Herbert A. Simon* (pp. 319-341). Hillsdale, NJ: Erlbaum.
- Mayes, J., Draper, S., McGregor, A. & Oatley, K. (1988). Information flow in a user interface: the effect of experience and context on the recall of MacWrite screens. In D. Jones & R. Winder (Eds.), *People and Computers IV: Proceedings of the Forth Conference of the British Computer Society, Human-Computer Interaction specialist group* (pp. 275-289). New York: Cambridge University Press.
- Nielsen, J. (2005). *Ten usability heuristics*. Retrieved February 14, 2007, from [http://www.useit.com/papers/heuristic/heuristic\\_list.html](http://www.useit.com/papers/heuristic/heuristic_list.html)
- Nimwegen, C. van, Burgos, D., Oostendorp, H. van, & Schijf, H. (2006, April). The paradox of the assisted user: guidance can be counterproductive. In R. Grinter, T Rodden, P. Aoki, E. Cutrell, R. Jeffries, & G. Olson (Eds.), *CHI '06: Proceedings of the SIGCHI conference on Human Factors in computing systems* (pp. 917-926). New York: ACM Press
- Nimwegen, C. van, Oostendorp, H. van, & Tabachneck-Schijf, H. (2004, June 10). Can more help be worse? The over-assisting interface. In *Proceedings of the conference on Dutch directions in HCI ACM International Conference Proceeding Series*. New York: ACM Press.
- Nimwegen, C. van, Oostendorp, H. van, & Tabachneck-Schijf, H. (2004, August 31). Externalization vs. Internalization: The influence on problem solving performance . *Conference on Advanced Learning Technologies 2004*. Retrieved June 5, 2007 from <http://ltf.ieee.org/icalt2004/ppt/61.ppt>
- Nimwegen, C. van, Oostendorp, H. van, & Tabachneck-Schijf, H. (2005). The role of interface style in planning during problem solving. In B. Bara, L. Barsalou, & M. Bucciarelli (Eds.), *Proceedings of the 27th Annual Cognitive Science Conference* (pp. 2271-2276). Mahwah, NJ: Erlbaum.
- O'Hara, K. & Payne, S. (1998). The effects of operator implementation cost on planfulness of problem solving and learning *Cognitive Psychology*, 35, 34-70.
- Penna, Anil. (2007, February 20). Mobile phones to fuel Internet growth, Google web evangelist says. *Agence France-Presse*. Retrieved February 21, 2007, from [http://news.yahoo.com/s/afp/20070220/tc\\_afp/indiausinternetcerf](http://news.yahoo.com/s/afp/20070220/tc_afp/indiausinternetcerf)
- Payne, S (1991). Display based action at the user interface. *International Journal of Man-Machine Studies*. 35, 275-289.
- Scaife, M. & Rogers, Y. (1996). External cognition: how do graphical representations work? *International Journal of Human-Computer Studies*, 45, 185-213.
- Zhang, J. (1997). The nature of external representations in problem solving. *Cognitive Science*, 21, 179-217.
- Zhang, J., & Norman, D. (1994). Representations in distributed cognitive tasks. *Cognitive Science*, 18, 87-122.



Questions?